

Table of Contents

Configuring the BIOS	1
Getting Into Your BIOS	1
BIOS Settings	1
Quiet Boot	1
Watch Dog Function	1
AES-NI Encryption	1
AHCI SATA Configuration	1
IPMI Configuration	1
Boot Order Configuration	1

Configuring the BIOS

```
p { margin-bottom: 0.1in; direction: ltr; color: rgb(0, 0, 0); line-height: 120%; }p.western { font-family: "Times New Roman",serif; font-size: 12pt; }p.cjk { font-family: "Times New Roman",serif; font-size: 12pt; }p.ctl { font-family: "Times New Roman",serif; font-size: 12pt; }a:visited { color: rgb(128, 0, 128); }a.western:visited { }a.cjk:visited { }a.ctl:visited { }a:link { color: rgb(0, 0, 255); }
```

We now need to configure the BIOS of the server motherboard.

You can do this via a keyboard and monitor attached to the server or through IPMI as outlined in a previous section.

The settings and screen shots are all taken from a Supermicro X10SRH-CLN4F, but most are applicable to most server motherboards (I would imagine).

Getting Into Your BIOS

BIOS Settings

Quiet Boot


Watch Dog Function

AES-NI Encryption

AHCI SATA Configuration

IPMI Configuration

Boot Order Configuration



From:

<https://familybrown.org/dokuwiki/> - **danb35's Wiki**

Permanent link:

https://familybrown.org/dokuwiki/doku.php?id=fester:prelim_bios&rev=1465578918

Last update: **2016/06/10 17:15**

