

# Table of Contents

- Configuring the BIOS** ..... 1
- Getting Into Your BIOS*** ..... 1
- BIOS Settings*** ..... 1
- Quiet Boot*** ..... 1
- Watch Dog Function*** ..... 1
- AES-NI Encryption*** ..... 1
- AHCI SATA Configuration*** ..... 1
- IPMI Configuration*** ..... 1
- Boot Order Configuration*** ..... 1



# Configuring the BIOS

```
p { margin-bottom: 0.1in; direction: ltr; color: rgb(0, 0, 0); line-height: 120%; }p.western { font-family: "Times New Roman",serif; font-size: 12pt; }p.cjk { font-family: "Times New Roman",serif; font-size: 12pt; }p.ctl { font-family: "Times New Roman",serif; font-size: 12pt; }a:visited { color: rgb(128, 0, 128); }a.western:visited { }a.cjk:visited { }a.ctl:visited { }a:link { color: rgb(0, 0, 255); }
```

We now need to configure the BIOS of the server motherboard.

You can do this via a keyboard and monitor attached to the server or through IPMI as outlined in a previous section.

The settings and screen shots are all taken from a Supermicro X10SRH-CLN4F, but most are applicable to most server motherboards (I would imagine).

## Getting Into Your BIOS

### BIOS Settings

### Quiet Boot


### Watch Dog Function

### AES-NI Encryption

### AHCI SATA Configuration

### IPMI Configuration

### Boot Order Configuration



From:

<https://familybrown.org/dokuwiki/> - **danb35's Wiki**

Permanent link:

[https://familybrown.org/dokuwiki/doku.php?id=fester:prelim\\_bios&rev=1465578918](https://familybrown.org/dokuwiki/doku.php?id=fester:prelim_bios&rev=1465578918)

Last update: **2016/06/10 17:15**

